

Date _____

Name _____

Client _____



Project Name _____

Quote# _____

Type/Quantity _____

GRAND DIRO TRIMLESS D 111
202 15 61 00

[Weblink](#)



Cutout shape/size:	Ø KIT mm
Recessed depth:	150 mm
Available colors:	BLACK (202 15 61 00 B) WHITE (202 15 61 00 W)
ADJUSTABLE 0° - 20° / 360°	
G53 // 12V // EXCL.TRANSFO	
1 x QR-LP111 max.100W	
Class:	III
Weight:	0.3 KG
Protection level:	IP20
Minimum distance:	1,0m
Options:	TRANSFO
Requirements:	MOUNTING KIT R143 TRIMLESS

For detailed installation instructions, please consult the manual. [202_15_61_00_HAND.pdf](#)


GRAND DIRO TRIMLESS D 111

202 15 61 00

Related references


CONTROL GEAR, BALLAST AND TRANSFORMERS

[Weblink / Specsheel](#)



TRANSFO 100W
200 46 10
220-240V / 50-60Hz

[Weblink / Specsheel](#)




TRANSFO 50W
200 46 06
220-240V / 50-60Hz

Related references

MOUNTING KITS

[Weblink / Specsheel](#)



MOUNTING KIT R143
TRIMLESS
202 15 61 97

GRAND DIRO TRIMLESS D 111
202 15 61 00

Project picture

