

UP

Design by Ramos & Bassols.

VIBIA
LIGHT IS CREATION

Reference

4440.

Application

Ceiling Lamps

Installation type

Surface / Built-in

Description

Up is a ceiling lamp with a surface installation that includes a new flat diffusion LED system. Designed by Ramos & Bassols, it is characterised by including the equipment integrated in a 7cm-high structure.

Diffuser

Polycarbonate diffuser

Finish




4440-18.

Matt graphite
lacquer

4440-93.

Matt white
lacquer


Sketch



Electrical characteristics

1 x LED PLATE 30W 700mA

Total 0.0 W



Physical characteristics

1 Box / 0.17 x 0.55 x 0.55 m. / Vol. 0.0514 m³ /
Gross weight 10.0 kg. / Net weight 8.0 kg.


Installation and assembly

Please, see the installation manual

Light distribution

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric data

Efficiency : 54.55%

Coordinate system : CG

Total flux : 2803.90 lm

Maximum value : 193.07 cd/klm


Light position : C=0.00 G=0.00

Symmetry on the planes : Double symmetrical

Isolux : Isolux (Floor)

Light position :

X=0.00m Y=0.00m Z=2.50m



Certificates

